

# A SHORT CONTRIBUTION TO THE DERMESTIDAE (INSECTA: COLEOPTERA) FROM BALTIC AMBER

Jiří Háva, Andris Bukejs

Háva J., Bukejs A. 2018. A short contribution to the Dermestidae (Insecta: Coleoptera) from Baltic amber. *Acta Biol. Univ. Daugavp.*, 18 (2): 207 – 209.

The data on five specimens belonging to four fossil dermestid species from Eocene Baltic amber is given: *Globicornis ambericus* Háva, Prokop & Herrmann, 2006, *Attagenus hoffeinsorum* Háva, Prokop & Herrmann, 2006, *Anthrenus electron* Háva, Prokop & Kadej, 2006, and *Megatoma electra* Zhantiev, 2006.

Key words: Dermestidae, new records, fossil resin, Paleogene, Eocene.

*Jiří Háva. Department of Forest Protection and Entomology, Faculty of Forestry and Wood Sciences, Czech University of Life Sciences, Kamýcká 129, CZ-165 00, Prague 6 - Suchbát, Czech Republic.*

*Private Entomological Laboratory and Collection, Rýznerova 37, CZ - 252 62 Únětice u Prahy, Praha-západ, Czech Republic: E-mail: jh.dermestidae@volny.cz*

*Andris Bukejs. Daugavpils University, Institute of Life Sciences and Technology, Vienības Str. 13, Daugavpils, LV - 5401, Latvia: E-mail: carabidae@inbox.lv*

## INTRODUCTION

The skin and carpet beetle family (Dermestidae) currently contains about 1500 species belonging to 62 genera worldwide (Háva 2015). Dermestidae from Eocene Baltic amber have been covered in a number of papers (Bukejs & Háva 2018, Háva 2008, 2014, Háva & Alekseev 2015, Háva & Bukejs 2013, Háva & Prokop 2006, Háva et al. 2006a, 2006b, 2008, Kadej & Háva 2011, Zhantiev 2006). New findings of described species allow understanding their role in the structure of the Baltic amber forest and clarifying their systematic position. In the current paper, new records of four extinct dermestid species from this Lagerstätte are given.

## MATERIAL AND METHODS

The material examined is deposited in the following collections:

GPIH - Geologogische-Palaentologische Institut of University Hamburg, Germany (coll. Carsten Gröhn);

JHAC - Jiří Háva, Private Entomological Laboratory & Collection, Únětice u Prahy, Prague-West, Czech Republic;

JDAC - Jonas Damzen private collection, Vilnius, Lithuania.

Species are arranged in alphabetical order. The nomenclature follow the catalogue of Háva (2015).

## RESULTS

An investigation of inclusions in Baltic amber from three collections resulted the discovery of 5 adult specimens and 1 larva of 4 dermestid species.

### Family Dermestidae Latreille, 1804

#### Subfamily Attageninae Laporte de Castelnau, 1840

##### Tribe Attagenini Laporte de Castelnau, 1840

#### *Attagenus hoffeinsorum* Háva, Prokop & Herrmann, 2006

**Material examined:** 1 spec., amber inclusion from Baltic amber, Yantarny, Sambia, Kaliningrad Region, Russia, bought from amber traders, C 8043, J. Háva det., (GPIH).

**Remarks.** Species occur in Baltic amber quite often. Known from Poland: Gdańsk and Russia: Kaliningrad.

#### Subfamily Megatomininae Leach, 1815

##### Tribe Anthrenini Gistel, 1848

#### *Anthrenus electron* Háva, Prokop & Kadej, 2006

**Material examined:** 1 spec., amber inclusion from Baltic amber, Yantarny, Sambia, Kaliningrad Region, Russia, bought from amber traders, JD 7197, J. Háva det., (JDAC).

**Remarks.** Species occur in Baltic amber quite often. Known from Poland: Gdańsk and Russia: Kaliningrad.

##### Tribe Megatomini Leach, 1815

#### *Globicornis ambericus* Háva, Prokop & Herrmann, 2006

**Material examined:** 1 spec., amber inclusion from Baltic amber, Yantarny, Sambia, Kaliningrad Region, Russia, bought from amber traders, C 7852, J. Háva det., (JHAC); 1 spec., amber inclusion from Baltic amber, Yantarny, Sambia, Kaliningrad Region, Russia, bought from amber traders, C 7920, J. Háva det., (GPIH).

**Remarks.** Species occur in Baltic amber quite often. Known from Poland: Gdańsk and Russia: Kaliningrad.

#### *Megatoma electra* Zhantiev, 2006

**Material examined:** 1 spec., amber inclusion from Baltic amber, Yantarny, Sambia, Kaliningrad Region, Russia, bought from amber traders, JD 7209, J. Háva det., (JDAC).

**Remarks.** Species occur in Baltic amber quite often. Known from Russia: Kaliningrad.

#### *larva* sp. cf. Trinodininae

**Material examined:** 1 larva, amber inclusion from Baltic amber, Yantarny, Sambia, Kaliningrad Region, Russia, bought from amber traders, L 7674, J. Háva det., (GPIH).

**Remarks.** The larva is poorly visible for detailed description. The larva probably belong to subfamily Trinodininae.

## ACKNOWLEDGEMENTS

We are sincerely grateful to Carsten Gröhn (Glinde, Germany) and Jonas Damzen (Vilnius, Lithuania) for the loan of amber material.

## REFERENCES

- Bukejs A., Háva J. 2018. A new species of *Globicornis* Latreille (Coleoptera: Dermestidae) from Baltic amber, with a key to fossil species. *Zootaxa*, 4483 (2): 395 – 400.
- Háva J. 2008. *Globicornis rakovici* n. sp., a new fossil species (Coleoptera: Dermestidae: Megatomini) from Baltic amber. *Alavesia*, 2: 3 – 5.
- Háva J. 2014. New data on fossil species from Baltic amber with description of a new species (Coleoptera:

- Dermestidae). *Arquivos Entomológicos*, 10: 211 – 216.
- Háva J. 2015. *World Catalogue of Insects. Volume 13. Dermestidae (Coleoptera)*. Leiden/ Boston: Brill, xxvi + 419 pp.
- Háva J., Alekseev V.I. 2015. Contribution to the palaeofauna of Dermestidae (Coleoptera) from Baltic and Bitterfeld ambers. *Zoology and Ecology*, 25 (2): 154–156.
- Háva J., Bukejs A. 2013. *Attagenus yantarnyi* sp. nov., a new species from Baltic amber (Coleoptera: Dermestidae). *Baltic Journal of Coleopterology*, 12: 155 – 158.
- Háva J., Prokop J. 2006. *Trinodes puetzi* sp. nov., a new fossil species described from the Baltic amber (Coleoptera: Dermestidae). *Acta Societatis Zoologicae Bohemicae*, 69: 277–279.
- Háva J., Prokop J., Herrmann A. 2006a. New fossil dermestid beetles (Coleoptera: Dermestidae) from Baltic amber. *Acta Societatis Zoologicae Bohemicae*, 69: 281 – 287.
- Háva J., Prokop J., Herrmann A. 2008. New fossil dermestid beetles (Coleoptera: Dermestidae) from the Baltic amber - III. *Acta Societatis Zoologicae Bohemicae*, 71 (2007): 151 – 157.
- Háva J., Prokop J., Kadej M. 2006b. New fossil dermestid beetles (Coleoptera: Dermestidae) from the Baltic amber - II. *Studies and Reports of District Museum Prague-east, Taxonomical Series*, 2: 65 – 68.
- Kadej M., Háva J. 2011. First record of a fossil *Trinodes* larva from Baltic amber (Coleoptera: Dermestidae: Trinodinae). *Genus*, 22: 17 – 22.
- Zhantiev R.D. 2006. New species of dermestid beetles (Coleoptera, Dermestidae) from Rovno and Baltic amber. *Paleontologicheskii Zhurnal*, 40 (5): 87 – 89. (In Russian; abstract in English)

Received: 12.11.2018.

Accepted: 01.12.2018.